4-port 3D HDMI Splitter

The HV-814 4-port HDMI Splitter consists of 1 HDMI IN and 4 HDMI OUT. The HV-814 is a perfect solution for sending one HDMI source to 4




multiple displays at the same time. It fully compliant with HDCP and 3D supports all HDMI Display, such as Blu-Ray players, Sony PlayStation 3 (PS3), 3D display, satellite set-top boxes and all type of HDMI display. It can also support HDMI format 1.4a.

Features

- Supports PC resolutions up to 1920 x 1200 @60Hz, HD: 1080p.
- Supports 1080p digital signals transmission without any compression.
- Single HDMI system cable for HDMI and HDCP pass through.
- Supports 12-bit Deep Full HD, Full 3D and 4K2K video.
- Supports conversion of HDMI signaling to DVI signaling.
- ❖ Wide Frequency Range: 25MHz 340MHz.
- ♦ HDMI 1.4a /HDCP Compliant.
- Cascadable to make more than 4 output ports.
- 3D display support.
- Easy install, without any software or driver installation.

Front and Back View

HV-814 4-Port 3D HDMI Splitter






Specification

Model No.		HV-814 HDMI Splitter
Connectors	HDMI IN	1
	HDMI OUT	4
	Plug LED	4 Yellow
	Unit to Unit	4 x HDMI
LED	Power	1 Green
Signals		HDMI 1.4a
3D		Yes
Video supports		Up to 1920 x 1200 @ 60Hz or 1080p
Cables		HDMI Cable
Power Consumption		DC 5.0V; 2A
Environment	Operating Temp.	0 ~ 70°C
	Storage Temp.	-20 ~ 85°C
	Humidity	0 ~ 80% Non-condensing
Physical Properties	Housing	Metal (Black)
	Weight	413 g
	Dimensions	15.2 x 11 x 2.5 cm
	(L x W x H)	

Diagram



Ordering Information

HV-814 4-port 3D HDMI Splitter.